

Supplies & Equipment when you need it!

AGILE Equipment hire when you need it!

COMPLETE EQUIPMENT & SUPPLIES RANGE

Climate, Cleaning, Restoration Hire & Sales

PRODUCT CATALOGUE 2023

ABOUT **AGILE EQUIPMENT**

Agile Equipment has over 60-years combined experience in the field and access to the best supplies and equipment in the game, we're proud to offer a wide range of supplies, refills, and filters for your next project.

BREEZE PLUS

We have comprehensive experience in water damage restoration, mould remediation, moisture solutions, air quality testing, air purifying, cleaning PPE and cooling. Our carefully selected ranges can be found across various sectors including construction, education, and aged care, industrial and telecommunications and even the next DIY project.

We're able to respond quickly through our, Brisbane, Sydney, and Melbourne depots



RESTORATION



CONSTRUCTION



EVENTS

Ь	
	Р
	ш

OFFICE & COMMERCIAL

SPACES

*Restrictions apply

well as others.

Items*

 \checkmark

Australia



Our clients range from homeowners, facilities

managers, aged care, hospitals, property managers,

occupational hygienists, restoration business

owners, carpet cleaners, construction companies as

30 Day Money Back guarantee on eligible

✓ Same or next day delivery* in South East Qld

We have been in business for over 20 years in

Why People Choose Agile Equipment:

for a large range of stock items

\mathcal{P}	res

DIY



EMERGENCY 24/7



SERVICING: **BRISBANE, SYDNEY** AND MELBOURNE





INDUSTRIAL

OUR BRANDS



SUPPLIES AND EQUIPMENT UNDER ONE ROOF FOR QUICK AND EFFICIENT DELIVERY.

Same or Next Day Delivery to Brisbane and South East Qld for our large range of stocked items.



WHAT WE OFFER



RESTORATION

Our core business, offering an expansive range of restoration equipment sourced from the best available. Agile Equipment offers a one stop shop for all your restoration needs. Dehumidifiers, Desiccants, Blower Fans, HEPA Air Scrubbers and other restoration equipment are all available in multiple industry standard sizes for sale and hire 24/7.



Agile Equipment offers a range of equipment designed or verified for use against the Coronavirus (SARS-CoV-2) disease, and similar virus particulates. Our equipment is thoroughly cleaned, filters replaced and tested with a particle counter after each use to ensure full efficiency. For more specialist advice, speak to our team about your air quality issues.



COOLING

Agile Equipment offers a complete range of Portable Air Conditioners, Packaged Air Conditioners, Evaporative Coolers and fans for purchase or hire. Our climate control equipment provides emergency solutions 24/7 for factories, offices, events, and other commercial or community spaces. Agile has it covered from short term emergencies to planned comfort.



CLEANING

Agile Equipment offers a range of popular, easy to use cleaning equipment & specialised industrial equipment, as well as an extended range of gear for use in cleaning and remediating properties.



AIR PURIFIERS

At AGILE Equipment, we have the right HEPA air scrubber for you. We offer comprehensive solutions for mould remediation, construction concrete dust, and clean room solutions for data centres that demand the ultimate in air quality, high quality air purification units that filter and clean the air, with options for your particular environment and needs.

All of our air scrubbers are test tagged and electrically safe. All our HEPA pre-filters are replaced with every hire, so that you can be assured of safe and reliable operation. Our equipment is thoroughly cleaned and tested with a particle counter after each use to ensure full efficiency.



TEST & MEASURE

We offer a range of popular, easy to use, Industry Standard Environmental Test and Measuring Equipment, catering for Dust, Asbestos, Moisture Meters, and Ozone Meters. Agile Equipment can give you peace of mind for a work, living, building, or manufacturing environment with our diverse range of Environmental Test and Measuring Equipment. For more specialist advice, speak to our team about your air quality issues.



SUPPLIES

Our carefully selected range of supplies caters for your water damage restoration, mould remediation, moisture solutions, air quality testing, air purifying, cleaning and PPE. Our carefully selected ranges can be found across various sectors including construction, education, and aged care, industrial and telecommunications and even the next DIY project.

OTHER EQUIPMENT

Our team at Agile Equipment are keen to build relationships and cater for more of our customer's needs, we research and test the top brands on the market, making available the best across new categories. We're focused on providing a complete solution, so if there's something you're looking to hire, let us know, we may already be adding it to the range

TABLE OF CONTENTS







Aura Air Purifier Wall-Mounted

SKU 204003 Weight (kg) Dimensions (cm) (h × w × d) Efficiency

FEATURES

- · Kills 99% of viruses and bacteria
- Wall mount design
- Low operating noise
- Comprehensive IOS/Android App to control device and recieve readings

HIRE



IAQ Pro 1000 CFM HEPA Air Scrubber

SKU 204002 Weight (kg) Dimensions (cm) (h × w × d) Air Flow Rating

Housing Material Amp Draw

42.0 51.0 × 58.0 × 102.0 1000CFM or

1700CMH

6 Amps

Polyethylene

FEATURES

- Remove dangerous moulds
- Used to filter out floating particles and dust
- · Allergy, Dust and Soot Control HEPA Air Scrubbers are perfect for helping make the air safer after fires; and can reduce allergy and dust reactions by removing particles from the air
- Clean Rooms and Server rooms Used to keep floating particles to a minimum and ensure airborne contaminants are captured safely without compromising room cleanliness

HIRE



HEPA Air Filter - 2000 CFM Air Scrubber

SKU 204003 Weight (kg) Dimensions (cm) (h × w × d) Air Flow Rating

Housing Material Amp Draw

61.0 79.0×94.0×66.0 2000CFM or 3400CMH Polyethylene 8 Amps

FEATURES

- Remove dangerous moulds
- · Used to filter out floating particles and dust
- · Allergy, Dust and Soot Control HEPA Air Scrubbers are perfect for helping make the air safer after fires; and can reduce allergy and dust reactions by removing particles from the air
- Clean Rooms and Server rooms Used to keep floating particles to a minimum and ensure airborne contaminants are captured safely without compromising room cleanliness



HEPA Air Filter - 500 CFM Air Scrubber

SKU 204001 Weight (kg) Dimensions (cm) (h × w × d) Air Flow Rating

Housing Material Amp Draw

20.0 62.5×66.5×46.2 500CFM or 850CMH Polyethylene 4 Amps

- · Remove dangerous moulds
- Used to filter out floating particles and dust
- Allergy, Dust and Soot Control HEPA Air Scrubbers are perfect for helping make the air safer after fires and can reduce allergy and dust reactions by removing particles from the air
- Clean Rooms and Server rooms Used to keep floating particles to a minimum and ensure airborne contaminants are captured safely without compromising room cleanliness





IAQ Pro 1000 CFM HEPA Air Scrubber

SKU 104002 Weight (kg) Dimensions (cm) (h×w×d) Efficiency Air Flow Rate

29.0 50.0 × 53.0 × 92.0 H13 1000 CFM

FEATURES

- SAA Electrically Approved Be assured that this air scrubber meets electrical and safety standard
- Higher airflow
- FIlter particles down to 0.3 microns



IAQ Pro 500 CFM Air Scrubber with UV Light

SKU 104003 Weight (kg) Dimensions (cm) (h × w × d) Efficiency Air Flow Rate

20.0 62.0 × 34.0 × 62.0 H13 500 CFM

FEATURES

- SAA Electrically Approved Be assured that this air scrubber meets electrical and safety standard
- UV light for airbourne virius and bacteria reduction
- Stackable
- FIlter particles down to 0.3 microns



IAQ Pro Med-1 UV-Light Air Purifier

SKU 104005 Weight (kg) Dimensions (cm) (h×w×d) Efficiency Air Flow Rate

20.0 40.0 × 40.0 × 75.0 H13 500 CFM

FEATURES

- Allergy, dust and soot control, covid, and viruses
- UVC Disinfection
- Indoor Air Cleaning (Hospitals, Schools, Restaurants)
- Mould

BUY



IONMAX 420 Air Purifier

SKU 104006 Weight (kg) Dimensions (cm) (h × w × d) Efficiency

4.2 40.9 × 16.2 × 32.4 H13

FEATURES

- 5 stage purification system
- Ensures peak air purification
- User-friendly features
- Low noise



IONMAX 422 Air Purifier

SKU 104007 Weight (kg) Dimensions (cm) (h×w×d) Efficiency

3.7 44.9 × 17.5 × 32.7 H13

FEATURES

- 5 stage purification system
- Includes a UV-C light that makes 99% of microbes such as viruses and bacteria ineffective
- Reduces viral infectivity
- User-friendly features

8





Ionmax+ Aire - Medium Air Purifier

SKU 104010 Weight (kg) Dimensions (cm) (h × w × d) Efficiency

14 2 37.0 × 39.6 × 69.1 H13

FFATURES

- Effecive 6 stage air purification
- Remote setting via mobile app
- · Child and pet-friendly
- Coverage of up to 260 sqm



Ionmax+ Aire X - Large Air Purifier

SKU 104011 Weight (kg) Dimensions (cm) (h × w × d) Efficiency

15.0 37.0 × 40.0 × 79.6 H13

FEATURES

- Effecive 6 stage air purification
- Remote setting via mobile app
- · Child and pet-friendly
- Coverage of up to 260 sqm



Sensibo Pure Air Purifier

SKU 104008 Weight (kg) Dimensions (cm) (h × w × d) Efficiency

1.94				
19.5	×	19.5	×	38.8
H13				

FEATURES

- Low noise polution
- · Advanced smart air purifier, increasing speed as needed
- Stronger air filtration
- · Equipped with our HEPA & Carbon filters



BU



XPOWER X-3400 Air Scrubber

SKU 104012 Weight (kg) Dimensions (cm) (h × w × d) Efficiency Air Flow Rate

13.1 50.0 × 31.0 × 55.0 H13 650 CFM

FEATURES

- Small lightweight design
- Stackable
- Higher airflow rate within its class
- · Additional nlyon mesh filter for added protection

Air Purifiers

Air Scrubbers, Consumables

Weight (kg) Dimensions (cm) $(h \times w \times d)$

4.0 40.0 × 40.0 × 20.0

- · Remove VOC's and odours from the air · Compatible with IAQ PRO 500 & 1000 CFM Air
- Scrubbers, and DRIEAZ HEPA 500 · Allergy, Dust and Soot Control – HEPA Air
- Scrubbers are perfect for helping make the air safer after fires and can reduce allergy and dust reactions by removing particles from the air
- · Clean Rooms and Server rooms Used to keep floating particles to a minimum and ensure airborne contaminants are captured safely without compromising room cleanliness

	1	





Aura Air Ray Filter

SKU 101020 Weight (kg) Dimensions (cm) (h×w×d) Efficiency Compatible With

1.5 36.49 × 34.79 × 12 3 Stage HEPA Aura Air

FEATURES

- 3 Stage antibacterial layers
- Removes fine particles (PM 2.5 and 10)
- Removes Germs, odours, bacteria, viruses, fugus, and mould spores
- Lasts up to 6 months of continual use

BUY



Carbon Filter for HEPA Air Scrubbers

SKU 101009 Weight (kg) Dimensions (cm) (h × w × d) Compatible With

1.8

- 40.0 × 40.0 ×2.2 → IAQ PRO 500 CFM Air Scrubber, DRIEAZ HEPA
- 500
 IAQ PRO
 500/1000 CFM Air Scrubber, DRIEAZ
 HEPA 500

FEATURES

- Mould and Indoor Air Cleanup Remove dangerous moulds and VOC's from the air in contaminated spaces and are a vital component of decontamination
- Restoration and Construction Used to filter out floating particles and dust, necessary for most remediation works under IICRC guidelines
- Allergy, Dust and Soot Control HEPA Air Scrubbers are perfect for helping make the air safer after fires and can reduce allergy and dust reactions by removing particles from the air
- Clean Rooms and Server rooms Used to keep floating particles to a minimum and ensure airborne contaminants are captured safely without compromising room cleanliness



HEPA Filter for IAQ PRO AM-3

SKU 101021 Weight (kg) Dimensions (cm) (h × w × d) Efficiency Compatible With

2.0 28.0 × 29.0 H13 IAQ Pro AM-3 Air Movers

FEATURES

- Controls dust for renovation or building works
- Turns the unit from an airmover to a air scrubber

BUY



Pre-Filter for HEPA Air Scrubbers

SKU 101004 Weight (kg) Dimensions (cm) (h×w×d) Efficiency Compatible With

1.0 40.0 × 40.0 × 4.4 G3 IAQ PRO 500 CFM Air Scrubber, DRIEAZ HEPA 500

- Mould and Indoor Air Cleanup Remove dangerous moulds and VOC's from the air in contaminated spaces and are a vital component of decontamination
- Restoration and Construction Used to filter out floating particles and dust, necessary for most remediation works under IICRC guidelines
- Allergy, Dust and Soot Control HEPA Air Scrubbers are perfect for helping make the air safer after fires and can reduce allergy and dust reactions by removing particles from the air
- Clean Rooms and Server rooms Used to keep floating particles to a minimum and ensure airborne contaminants are captured safely without compromising room cleanliness





Primary HEPA Filter for 500 CFM Air Scrubber

SKU 101003 Weight (kg) Dimensions (cm) $(h \times w \times d)$ Efficiency Compatible With

2.0 41.0 × 5.5 × 48.0 H13 IAQ PRO 500

DRIEAZ HEPA 500

FEATURES

- Captures 99.97% of particles 0.3 microns in size
- Long lasting
- CFM Air Scrubber, Allergy, Dust and Soot Control HEPA Air Scrubbers are perfect for helping make the air safer after fires and can reduce allergy and dust reactions by removing particles from the air
 - Clean Rooms and Server rooms Used to keep floating particles to a minimum and ensure airborne contaminants are captured safely without compromising room cleanliness

BUY

Primary HEPA Filter for IAQ PRO 1000 CFM AIR SCRUBBER

SKU 101002 Weight (kg) Dimensions (cm) (h × w × d) Efficiency Compatible With

4.3
40.6 × 40.6 × 15.0
H13
IAQ PRO 1000 CFM
Air Scrubber

FEATURES

- · Captures 99.97% of particles 0.3 microns in size
- Long lasting



Sensibo Pure Replacement HEPA & Carbon Filter

SKU 101036 Weight (kg) Dimensions (cm) $(h \times w \times d)$ Efficiency Compatible With

1.94 17.0 × 17.0 × 23.0 H13 Sensibo Pure

- · Ensures peak efficient and clean air
- Easy to change





DUOP Aluminum Fixed Handle 65cm

SKU 114015 Length (cm) Carton

65.0 1

BUY

DUOP All in One Set

SKU 105013 Weight (kg) Dimensions (cm)

Comes with

4.0

Dimensions (cm) ($h \times w \times d$) 20.0 × 20.0 × 70.0

- 1 x small cleaning head (15 x 15cm)
 1 x medium cleaning
- head (24 x 11cm) • 1 x large cleaning head
- (36.5 x 11cm)
 1 x 65cm aluminium extension handle
- 1 x aluminium telescoping handle – extends from 90cm to 155cm
- Includes 4 microfibre cleaning pads for each size cleaning head (2 x Cleaning, 1 x Scourer, 1 x Glass Pad – 12 pads total)

FEATURES

- 360° versatility it comes with a quick ball system grip which makes the cleaning frame face any position and clean different surfaces whether they're vertical, curved, and overhead such as windows, bathroom tiles, floors, or high dusting
- Faster wiping and more scrubbing power – it doesn't just reach high surfaces but it can also be used with its pole as the Duop's quickball also comes with an ergonomic handle which helps you clean up to 10 times more are per swipe than any rags or sponges while preventing your hands from touching any dirt or bacteria
- Traps dirt, dust, hair, and pollen with re-usable microfibre – Duop comes with a detachable, re-usable, and washable microfibre which helps you wipe out any dirt which can be washed and reused up to 500 times
- Interchange the cleaning head to fit your task and reduct contamination – the duop pad offers a colour tag features which helps prevent cross contamination



DUOP Telescopic Handle 155CM

SKU 105014 Weight (kg) Length (cm)

0.5 155

FEATURES

- Telescopic handle that extends up to 155cm
- Lightweight design

BUY

Enduro Spray Mop Handle 1.4M

SKU 105020 Weight (kg) Dimensions (cm) (h × w × d)

2.8 140 × 2.9

- Onboard fluid storage for all-in-one flat mopping solution
- Fluid level indicator in the side of the handle
- Fits 27200 Enduro Aluminum flat mop frame
- Compact storage fits 11800 Universal holder for wall mounted storage





San-Air Portable Nano Atomizer

SKU 105016 Water bottle capacity (ml) Dimensions (cm) (h × w × d)

Container **Battery Capacity** 250 18.3 × 4.8 × 16.0 250.0mL 1500.0mA

FEATURES

- · 45 minute sustainable use time
- Micro USB Chargable
- Small lightweight design
- USB Cable included



Victory Cordless Electrostatic Disinfectant Backpack Sprayer SKU 105017

Weight (kg) Dimensions (cm) (h × w × d) Container **Battery Capacity**

4.5 24.6 × 43.9 × 58.42 8.52L 3380mA

FEATURES

- Patented electrostatic charge penetrates chemical providing a thin, even spray pattern on all surfaces
- · Adjustment of spray particle size to match application
- Removable Easy Fill HDPE tank holds 2.25 gallons / 8.52 L of chemical, allowing you to coat up to 23,000 sq. ft / 2,130 sq. m
- 1.2m hose with quick release valve allows for comfortable reach and maximum maneuverability

BUY



Victory Cordless Electrostatic Disinfectant Handheld Sprayer

SKU 105018 Weight (kg) Dimensions (cm) (h × w × d) Container **Battery Capacity**

1.7 16.51 × 44.4 × 34.9 1.0L 3380mA

FEATURES

- · Patented electrostatic charge penetrates chemical providing a thin, even spray pattern on all surfaces
- · Adjustment of spray particle size to match application
- Easy Fill HDPE 33.8oz / 1L refillable tank allows you coat up to 2800 sq. ft / 260 sq. m on 40 micron setting
- 16.8v lithium-lon battery



Victory Cordless Electrostatic Disinfectant Handheld Sprayer

SKU 205018 Weight (kg) Dimensions (cm) (h × w × d) Container Battery Capacity

1.7 16.51 × 44.4 × 34.9 1.0 L 3380 mA

FEATURES

- Patented electrostatic charge penetrates chemical providing a thin, even spray pattern on all surfaces
- Adjustment of spray particle size to match application
- Easy Fill HDPE 33.8oz / 1L refillable tank allows you coat up to 2800 sq. ft / 260 sq. m on 40 micron setting
- 16.8v lithium-lon battery



Floor Stripper Self-Propelled (Electric)

SKU 215002 Weight (kg)

Dimensions (cm) $(h \times w \times d)$ Working Area Stroke Engine

123 31.5 × 67.0 × 110.0 Up to 350 mm 1.1 kW

- · Use in sensitive areas thanks to lownoise and low-vibration operation
- Powerful through the use of industrial motors
- · Effective on different coverings with an infinitely adjustable working angle
- · Stepless Adjustable working





Cleaning

Carpet Cleaning Machine

SKU 215001 Weight (kg) Dimensions (cm) (h×w×d) Comes with

FEATURES

High quality commercial grade systemsEasy to use

Cleaning Equipment

Vacuums to Cleaning

50

100 × 72.0 × 62.0

Long Hose, Extraction Wand

Vacuums



Ghibli T1 Backpack HEPA Vacuum

SKU 108001 Weight (kg) Dimensions (cm) (h × w × d) Airflow Rate Sound Pressure Level (dB(A) Motor Power

4.8 24.0 × 24.0 × 49.5 51L/s 60dB 1450W

FEATURES

- H14 HOSPITAL GRADE HEPA
 FILTRATION, 99.975% FILTRATION
- 5 Level Filtration System
- Lightweight Under 5kg
- Quiet 60 dBA



HEPA Filter Vacuum - Mould Vacuum

SKU 208001 Weight (kg) Dimensions (cm) (h × w × d) Airflow Rate Tank Capacity

20.0 58.0 × 58.0 × 90.0 100L/s 62L

- High powered suction and HEPA filtration system
- Protects the building environment from recontamination while vacuuming
- Construction Cleaning With dual vac motors and a large tube and hose diameter, this vacuum is great for vacuuming all surfaces as well as sucking up small building debris such as nail, plasterboard, and other building debris materials
- Hazardous Materials (excluding asbestos) - This vacuum can be used to vacuum hazardous materials such as lead, glass, cement, silica. This vacuum is NOT to be use for ASBESTOS





NILFISK VHS42 30L – H Class Mould Vacuum

SKU 108002 Weight (kg) Dimensions (cm) (h × w × d) Airflow Max Sound Pressure Level (dB(A) Certified HEPA Filtration Level 0.3 Micron or bigger

14.5 56 × 38 × 52 4500 (l/m) 75 (l/s) 60dB YES

FEATURES

- InfiniClean[™] Automatic filter cleaning system with minimised performance loss
- PTFE long-life filter with non-stick membrane and minimum 99,9% filtration efficiency
- Dust class M and H certification including Asbestos
- Unique dual filter solution available for H-class/HEPA – including 3-stage filtration



NILFISK VHS42 40L – H Class Mould Vacuum

SKU 108003 Weight (kg) Dimensions (cm) (h × w × d) Airflow Max Sound Pressure Level (dB(A) Certified HEPA Filtration Level 0.3 Micron or bigger

16 56 × 38 × 60 4500 (I/m) 75 (I/s) 60dB YES

FEATURES

- InfiniClean[™] Automatic filter cleaning system with minimised performance loss
- PTFE long-life filter with non-stick membrane and minimum 99,9% filtration efficiency
- Dust class M and H certification including Asbestos
- Unique dual filter solution available for H-class/HEPA – including 3-stage filtration



Wet Dry Vacuum - Large

SKU 208002

Weight (kg) Dimensions (cm) (h × w × d) Air Flow Rate Tank Capacity Suctions Rate 49.0 100.0 × 72.0 × 62.0 120L/s 90L 250mbar

- With dual vac motors and wand, this unit works extremely well extracting water from carpet
- This unit can be used to extract water of hard flooring
- Category 2 & 3 Water Extraction If there has been a spill/leak from a contaminated source, it is important to extract as much as possible before sanitising. Use this unit to extract during the cleaning process!
- Contstruction/Building Water
 Extraction Due to its portablility, this unit can be taken into buildings and construction sites, where truck mounted access would be limited or not possible



Dehumidifiers

HIRE



Compact Dehumidifier 63L

SKU 207002

Approximate Weight (kg) Approximate Size (cm) (h × w × d) 53.0 × 30.5 × 44.5 Water Removal Rate Туре

29 63L per day Compressor

FEATURES

- · Compact sized dehumidifiers work well in spaces where access is limited
- · Compact dehumidfiers are designed to be just as efficient as bigger models, and can be reliably used as a dehumidfier for water damage
- · Corrosion Control These units will work well with smaller metal objects that require blasting or coating. These dehumidfiers can control the humidity in the enivronment to enable these works
- Structural Drying As it is classed as a Low Grain Refrigerant, these units can achieve a lower humidity level then non-LGR models. This makes it effective at drying building and structural materials that have deeply bound water in them



Dehumidifier 60L

SKU 207001 Approximate Weight (kg) Approximate Size (cm) (h × w × d) 70.5 × 50.0 × 45.5 Water Removal Rate Туре

38 60L per day Compressor

FEATURES

- Economical solution for dry water damager properties
- Dries out water damaged carpets.
- · Mould Remediation By installing this to the environment, this unit can keep humidity down which in turn can inhibit further growth of mould
- · Corrosion Control Dehumidifying a space can provide an environment for corrosion control works such as blasting and coating

HIRE



Drymatic Boost Bar SKU 215004

Weight (kg) Dimensions (cm) (h × w × d) Housing Material Heating Output Screen Type

7.6 68.9 × 30.0 × 20.1 Polyethylene 1.8kW **Touch Screen**

FEATURES

- Helps increase the rate of evaporation in concrete
- · Increases the temperature of the flooring
- · Timber floor Drying Timber floor drying can be tricky, with the use of a boost bar and mats, its possible to dry the multilayed timberflooring by injecting heat
- Target Drying By using this in conjuction with a proportionally sized mat, you can dry areas with a much more targeted approach, making you the dry process faster and more efficient

BUY



Ecor Pro DH3500 45L Desiccant Dehumidifier

SKU 107001

Weight (kg) Dimensions (cm) $(h \times w \times d)$ Water Removal (Saturation) Exhaust Air Flow Rate **Regen Air Flow**

24.4 73.0 × 41.0 × 47.0 45 L / day 400 m³/h 125 m³ / h

- 20V supply 50 Hz that can be run off a 12V DC-220V AC converters or 110V to 220V transformers
- "4-hole" technology commercial desiccant dehumidifier
- Water removal 45 litres maximum extraction
- Operating range from -20°C up 40°C maximum room temperature for continuous drying applications





Ecor Pro DH3500 INOX 45L Desiccant Dehumidifier

SKU 107002

Weight (kg) Dimensions (cm) (h × w × d) Water Removal (Saturation) Exhaust Air Flow Rate Regen Air Flow

244 73.0 × 41.0 × 47.0 45 L/day 400 m³/h 125 m³ / h

FEATURES

- 220V supply 50 Hz that can be run off a 12V DC-220V AC converters or 110V to 220V transformers
- "4-hole" technology commercial desiccant dehumidifier
- Water removal 45 litres maximum extraction
- Operating range from -20°C up 40°C maximum room temperature for continuous drying applications

BUY



EcorPro DryFan DH1200 Dehumidifier

SKU 107007 Weight (kg)

Dimensions (cm) $(h \times w \times d)$ Water Removal (Saturation) Exhaust Air Flow Rate **Regen Air Flow**

7.2 42.0 × 26.0 × 28.0 12 L / day 124 m³ / h 20 m³/h

FEATURES

- · Duct air in from the same room or a remote point
- Vent moisture out
- · "Superb Marine Dehumidifier"

BUY

IAQ PRO DH-1 Dehumidifier 50L

SKU 107003 Weight (kg) Dimensions (cm) $(h \times w \times d)$ Water Removal (Saturation) Current

32 57.0 × 37.0 × 45.0 50 L / day 3.2 A

FEATURES

- Stackable
- Small form factor
- · Removes water vapour from air
- · Helps dry out damp structural materials, insulation, and contents

BUY



IAQ PRO DH-2 Dehumidifier 90L

SKU 107004 Weight (kg) Dimensions (cm) $(h \times w \times d)$ Water Removal (Saturation) Current

42 63.0 × 52.0 × 67.5 90 L / day 6.5 A

FEATURES

- · Reduces himidity in enclosed structural environment
- · Helps dry out damp structural materials, insulation, and contents
- WIFI Connectivity





IAQ Pro DH-3 Dehumidifier 70L

SKU 107005

Approximate Weight (kg) Approximate Size (cm) (h × w × d) 66.0 × 54.0 × 90.0 Water Removal (Saturation) Current

42 70 L / day 3.2 A

- · LGR system that can remove humidity to a much lower level than other
- conventional dehumidifiers
- Small form factor



Ionmax ED18 Industrial Grade Desiccant Dehumidifier

SKU 107008

Approximate Weight (kg) Approximate Size (cm) (h × w × d) 31.8 × 46.3 × 31.2 Water Removal (Saturation) Working Temperature

13 19 L / day -15 °C - 40 °C

FEATURES

- Continuous 24/7 operation
- · Remote monitoring & setting via app
- Double as a HEPA air purifier
- Customisable installation



Ionmax ION610 Dehumidifier

SKU 107009 Approximate Weight (kg)

- 51 Approximate Size (cm) (h × w × d) 45.0 x 18.0 x 27.0 Water Removal (Saturation) Tank Capacity Noise Level
 - 6 L / day 1.8 L 34 - 45 dB

FEATURES

- · Anti-allergen air filter Prevent allergens in the air from entering the dehumidifier. Easy to maintain
- · ZEOLITE DESICCANT Self-regenerating. No maintenance and replacement required
- LARGE 1.8L WATER TANK Continuous drainage option with a hose is available
- FULL CONTROL OVER HUMIDITY LEVEL - Adjust the relative humidity and power levels for energy-saving operation or quick laundry drying



Ionmax ION622 Dehumidifier

SKU 107010 Weight (kg) Dimensions (cm) $(h \times w \times d)$ Water Removal (Saturation) Tank Capacity Noise Level

9.9 27.8 x 18.0 x 46.5 12 L / day 1.8 L 45 dB

FEATURES

- Humidity Level Controls up to 70% RH - The Ionmax ION622 dehumidifier's integrated humidistat allows you to set your desired humidity level from a range of 40% to 70% RH (relative humidity). You can also set it to run on a continuous mode
- Suitable for Warmer Climates The Ionmax ION622 dehumidifier operates best in warmer climates, with ideal temperatures being above 20°C. With ideal conditions being 30°C and 80% RH the ION622 can remove up to 12 litres a day!

BUY



Ionmax ION632

SKU 107011 Weight (kg) Dimensions (cm) $(h \times w \times d)$ Water Removal (Saturation) Tank Capacity Noise Level

7.8 52.0 x 18.6 x 41.6 10 L / day 3.51 44 - 51 dB

- · Compressorless dehumidifier uses desiccant rotor technology
- Moisture removal 10 litres/day (20°C RH60%)
- · Laundry mode helps to dry out damp clothes



HIRE



Large Dehumidifier 91L

SKU 207003 Approximate Weight (kg) Approximate Size (cm) (h × w × d) 85.0 × 51.0 × 51.0 Approximate Water Removal Rate Туре

49 91L per day

Compressor

FEATURES

- Large water removal capacity
- Low power usage
- Construction Drying Using an LGR dehumidifier such as this enables you to remove water from the environment to a lower level than non-LGR units. This makes it perfect for construction drying where water may be more deeply bound than residential water damage
- · Prevent Mould Growth By lowering the humidity in the environment, you can prevent further mould growth



Suntec 100L/day LGR ST1000 Commercial Stackable **Mobile Dehumidifier**

SKU 107012

Approximate Weight (kg) Approximate Size (cm) $(h \times w \times d)$ 50.0 \times 48.5 \times 85.0 Water Removal (Saturation) Working Temperature Rated Air Flow

50 100 L / day 1° – 38° C 750 m³/h

FEATURES

- LGR system that can remove humidity to a much lower level than other conventional dehumidifiers
- Stackable Design
- Large Wheels
- Automatic Pump Out

BUY



Suntec 50L/day LGR SP500C Pro Wall Mounted Dehumidifier with Humidity & Wifi Control

SKU 107013

Weight (kg) Dimensions (cm) $(h \times w \times d)$ Water Removal (Saturation) Working Temperature Rated Air Flow

35 65.0 × 27.5 × 55.0 50 L / day 1°− 40° C 500 m³/h

FEATURES

- Coated Coils
- · Low Noise Level
- Remote Control
- · Eco-friendly refrigerant

BUY

Suntec 65L/day LGR ST600 Commercial Stackable Mobile Dehumidifier

SKU 107014

Weight (kg) Dimensions (cm) (h × w × d) Water Removal (Saturation) Working Temperature Rated Air Flow

43 50.0 × 48.5 × 85.0 65 L / day 1°– 38° C 600 m³/h

- · LGR system that can remove humidity to a much lower level than other conventional dehumidifiersHelps dry out damp structural materials, insulation, and contents
- Stackable Design
- Large Wheels
- Automatic Pump Out



Dehumidifiers

BUY



X-Power 85L Dehumidifier

SKU 107015

Approximate Weight (kg) Approximate Size (cm) (h × w × d) 33.3 x 70.6 x 59.5 Water Removal (Saturation) Rated Airflow Amps

30.5 85 L / day 306 m³/h 3.7A

FEATURES

- · LGR system that can remove humidity to a much lower level than other conventional dehumidifiers
- Allows drying where water may be more deeply bound than residential water damage
- · Prevent Mould Growth By lowering the humidity in the environment, you can prevent further mould growth

Restoration

Dehumidifiers, Industrial Desiccants

HIRE



Desiccant Dehumidifier 2000 CFM

SKU 207004 Approximate Weight (kg)

Power Requirement

Туре

570 61 Amp Dessiccant

FEATURES

- Approximate Size (cm) (h × w × d) 193.0 x 233.0 x 82.0 · Highly effective in low temperatures
 - Produce much dryer air
 - New Construction Dehumidification - Speed the drying and during of construction materials. It also helps prevent odors and poor air quality due to microbial growth and mould
 - Industrial Preparation, Surface Coating and Corrosion Control – It can prevent condensation inside tanks before painting or industrial coating to ensure correct bonding

HIRE

Desiccant Dehumidifier 5000 CFM

SKU 207005 Weight (kg) Dimensions (cm) $(h \times w \times d)$

Power Requirement

Туре

2000 192.0 x 256.0 x 127 160 Amp electric Dessiccant

FEATURES

- Highly effective in low temperatures
- 32 Amp with Gas or New Construction Dehumidification - Speed the drying and during of construction materials. It also helps prevent odors and poor air quality due to microbial growth and mould
 - Industrial Preparation, Surface Coating and Corrosion Control – It can prevent condensation inside tanks before painting or industrial coating to ensure correct bonding
 - · Marine Lay Up and Power Plant Prevent corrosion in utility and industrial piping which may be sitting for long periods to lower ambient dew point

HIRE



Desiccant Dehumidifier

SKU 207006 Weight (kg) Approximate Size Approximate Water Removal Rate Power Draw Туре

47.62 61.6 x 101.6 x 54.2 75L per day

24A Dessiccant

- · High drying capacity
- · Highly effective in low temperatures
- Concrete Drying
- · Drying in Cold Environment



HIRE



Axial Air Mover

SKU 203002 Approximate Weight (kg) Airflow Rate **Current Consumption**

15.0 3800 CFM 1.0 A

HIRE



Centrifugal Air Mover SKU 203003

SK0 203003
Approximate Weight (kg)
Air Flow Rate
Current Consumption
Working Temperature

15 3500 CFM 1.8 A 1° – 38° C



IAQ PRO AM-1 Air Mover

SKU 103001 Weight (kg) Dimensions (cm) $(h \times w \times d)$ Air Flow Rate

16 49.0 x 43.0 x 47.0 1650 CFM

FEATURES

- Stackable
- High air flow rating
- 3 speed switch

BUY



IAQ PRO AM-2 Air Mover

SKU 103002 Weight (kg) Dimensions (cm) $(h \times w \times d)$ Air Flow Rate

13 55 x 47 x 28 600 CFM

FEATURES

- Stackable
- Low Profile
- · Lightweight
- · Daisy Chainable

BUY



IAQ PRO AM-3 Air Mover

SKU 103003 Weight (kg) Dimensions (cm) (h × w × d) Air Flow Rate

13 55 x 47 x 28 820 CFM

FEATURES

- Stackable
- Optional HEPA filter attachment
- Lightweight
- Daisy Chainable

HIRE

Low Profile Air Mover

SKU 203001 Approximate Weight (kg) Approximate Size (cm) (h × w × d) 58.4 x 45.7 x 22.9 Air Flow Rate Current Consumption

9.52 1190 m³/h 1.0 A





XPOWER 175 Watt Mini Air Mover

SKU 103004 Weight (kg) Dimensions (cm) $(h \times w \times d)$ Air Flow Rate

43 32.0 x 27.0 x 34.0 700 CFM

FFATURES

- Stackable
- Ultra lightweight Low power consumption

BUY

XPOWER X-47ATR Axial Air Mover

SKU 103005 Weight (kg) Dimensions (cm) (h × w × d) Air Flow Rate

11.3 56.0 x 25.0 x 57.0 2800 CFM

FEATURES

- Varial Speed Switch
- Variable angle including downward facing
- Stackable
- Daisy Chainable



Restoration

Odour Control





Ozone Generator Air Purifier

SKU 204004 Weight (kg) Dimensions (cm) (h × w × d) Ozone Output Air Flow Rate

49 100.0 x 50.0 x 40.0 12g/hr 267 CFM

FEATURES

- Remove odours and eliminate bad smells from the air
- · Lower VOC counts and eliminate harmful contaminants from the air

HIRE

Portable Hydroxyl Generator - OHAir MySpace

SKU 204005 Weight (kg) Dimensions (cm) (h × w × d) Treatment Area

Noise Levels

6 29.0 x 33.0 x 11.0 3m Radius from unit 32 - 38dbA @ 1m

FEATURES

- Remove odours and eliminate bad smells from the air
- · Lower VOC counts and eliminate harmful contaminants from the air
- · Safe for use in occupied areas no evacuation necessary
- · 40-65w power usage

HIRE



Titan 4000 Hydroxyl Generator

SKU 204006 Approximate Weight (kg) Approximate Size (cm) (h × w × d) 66.0 x 66.0 x 30.0 Treatment Area Air Flow Rate

17 up to 1416m³ 5000CFM

- · Remove odours and eliminate bad smells from the air
- · Lower VOC counts and eliminate harmful contaminants from the air
- Hotel, Accommodation and AirBnB Cleaning - Easily clean the air in temporary accommodation and hotel rooms
- · Cigarette and Fire Damage air cleaning De-odourise the air and remove cigarette smells





PPE

Zip Wall Complete Seal Pack (ZCP6)

SKU 111002 Contains

6 x Spring-Loaded **FEATURES**

Poles (1.4m - 3.8m) · Locks the screening material be placed 4 x Tight-Seal Rails firmly against surfaces

4 x Tight-Seal Rails (1.5m long) 2 x Side-Seal Clamps (1.5m long) 2 x Premium Zippers + Zipper Cutter 1 x Carry Bag 1 x10m x 4m Containment Sheeting



3M P2 Flat Fold Disposable Respirator 10 Pack

SKU 106037 Product Type

Respirator Size Protection Level Pieces Dust & Other Particles

Standard

P2

10

FEATURES

FEATURES

- The original 3-panel flat fold design P2 disposable respirator
- Protects against mechanically and thermally generated particles and some fumes
- Great for sanding, construction, protection from silica dust, some welding applications
- Cool flow valve prevents heat & moisture build-up resulting in easier breathing – minimal fogging to eyewear



Nitrile Blax P/Free X-Large Glove 100/Box

SKU 106038 Glove Material

Glove Size

Nitrile

X-Large

Latex free, ideal for latex allergy sufferers

- Broad range of chemical resistance, particularly petroleum based chemicals
- Textured fingertips provide extra grip for wet or dry situations
- Beaded cuff for extra strength when donning





Environmental Express IAQ 15 Connect

SKU 113009 Weight (kg) Dimensions (cm) (h × w × d) Air Flow Rate Compatible with

0.57 9.5 × 6.5 × 17.4 15LPM Air-O-Cell and Via-Cell

FEATURES

- Most compact design available allows access to crawl spaces, HVAC vents and other confined sampling areas
- IAQ specific calibration the only sampling pump with calibration verification and accuracy at 15 L/min
- Fit for purpose sampling modes various sampling durations (1, 2, 5, or 10 minutes) for any sampling setting
- Retrieve Sampling Records with the IAQ 15 App – The IAQ 15 Connect pairs with our IAQ 15 app, available on the Apple App Store and Google Play. Using the app, via Bluetooth, connect to the pump to retrieve and export multiple records, including location, sampling type, cycle count, run-time, calibration status, RFID information, and more

BUY



Hygiena SystemSURE II ATP Hygiene Tester

SKU 113004 Weight (kg) Dimensions (cm) (h×w×d) Sensitivity

0.25 44.9 x 17.5 x 32.7 2 femtomole

- Hospital Cleaning Hospitals require rigorous cleanliness, and in some instances need to be completely sterile. ATP testing can be a great indicator to the cleanliness of a surface post hospital cleans
- Sewage Cleaning Sewage cleaning requires a proper clean to ensure the safety of everyone, using ATP testing can be a great indicator for the effectiveness of the cleaning process
 Food Hygiene – A typical use for
- measuring cleanliness in the Hospitality and food industry, this can be a great way to indicate whether your kitchen is up to cleanliness standard
- Cleaning Process An instantaneous way to verify if your cleaning processes are up to standard







Hygiena SystemSURE II ATP Hygiene Tester

SKU 213004 Weight (kg) Dimensions (cm) (h × w × d) Sensitivity

0.25 44.9 x 17.5 x 32.7 1 femtomole

FEATURES

- Hospital Cleaning Hospitals require rigorous cleanliness, and in some instances need to be completely sterile. ATP testing can be a great indicator to the cleanliness of a surface post hospital cleans
- Sewage Cleaning Sewage cleaning requires a proper clean to ensure the safety of everyone, using ATP testing can be a great indicator for the effectiveness of the cleaning process
- Food Hygiene A typical use for measuring cleanliness in the Hospitality and food industry, this can be a great way to indicate whether your kitchen is up to cleanliness standard
- Cleaning Process An instantaneous way to verify if your cleaning processes are up to standard

BUY



ZEFON BIO-PUMP® PLUS

SKU 113008 Weight (kg) Dimensions (cm) (h×w×d) Air Flow Rate Compatible with

0.68 11.43 x 6.99 x 20.34 15LPM Air-O-Cell and Via-Cell

FEATURES

- 11.43 x 6.99 x 20.34Real Time Display Showing Actual Run15LPMTime
- Air-O-Cell and Via- · Programmable Sample Time (allows Cell unattended operation)
 - "Sample Complete" Audible & Visual
 Indicators
 - "Quick Sample" Operation

HIRE



ZEFON BIO-PUMP® PLUS

SKU 213008 Approximate Weight (kg) Approximate Size (cm) (h × w × Air Flow Rate Compatible with

0.68) 11.43 x 6.99 x 20.34 15LPM Air-O-Cell and Via-Cell

FEATURES

- Approximate Size (cm) (h × w × d)11.43 x 6.99 x 20.34·Real Time Display Showing Actual RunAir Flow Rate15LPMTime
 - Air-O-Cell and Via- · Programmable Sample Time (allows Cell unattended operation)
 - "Sample Complete" Audible & Visual
 Indicators
 - "Quick Sample" Operation

Test & Measure

Environment Meters

HIRE

Asbestos Air Monitoring Pump

SKU 213003 Weight (kg) Pack Size

0.75 Pack of 4

- Used to sample floating asbestos
- $\cdot \;$ Get an accurate count of particle count
- Portable Air Inspections Set up in specific locations for localised air quality investigations
- Gas And Vapour Sampling Sample for gas and vapours



40



DIY Mould Testing Kit

SKU 115001 Weight (kg) Dimensions (cm) (h × w × d) Contains

FEATURES

30.0 x 20.0 x 12.0 3 x Air-O-Cells. Samplers. 1 x Vacuum Air Pump, Instructions, Express Post Bag, Chain of Custody Form

• Pre-loaded and ready for use

- No mess, no cleaning, no maintenance
- 2 x Bio-Tape Surface · Simple instruction guide
 - Easy-to-use air pump



Lux Meter Hire - Light Tester

SKU 209002 Weight (kg) Approximate Size (mm) Accuracy

Measuring Rate **Measuring Ranges**

0.20 120 x 65 x 19 Within 3% of reading 2 Per Second 4

FEATURES

- Accurate measuring of lux count
- Easy to use
- Tenants Issues
- Insurance Claims

HIRE



Portable Ozone Meter - Aeroqua

SKU 213002 Weight (g) Dimensions (cm) $(h \times w \times d)$

460 19.5 x 12.2x 5.4

FEATURES

- · Allows to get accurate, real-time results of outdoor pollutants
- · Portable pollutant expose monitoring for WHS with alarms
- All in One monitor Interchangeable heads support a variety of sensor options
- Dust, Smog and Transport Emissions - Monitor danger zones inside and outside

BUY



FLIR ONE Pro Thermal Camera for Smartphone - Android USB-C

SKU 109001 Weight (g) Dimensions (cm) (h × w × d) Measurement Range

Battery Life Thermal Resolution

36.5 6.8 x 3.4 x 1.4 -20°C — 120°C and $0^{\circ}C - 400^{\circ}C$ Approximately 1 hr 160 × 120

FEATURES

- · Image and Detail Clarity
- Expanded Measurement
- Jobsite tough

BUY



FLIR ONE Pro Thermal Camera for Smartphone - iOS Lightning

SKU 109002 Weight (g) Dimensions (cm) (h × w × d) Measurement Range

Battery Life Thermal Resolution

36.5 6.8 x 3.4 x 1.4 -20°C — 120°C and $0^\circ C - 400^\circ C$ Approximately 1 hr 160 × 120

- Image and Detail Clarity
- Expanded Measurement
- Jobsite tough



Environment Meters

HIRE



Flir Thermal Image Camera

SKU 209001 Weight (kg) Dimensions (cm) (h × w × d) Thermal Sensitivity **IR** Resolution Field of view (FOV)

0 19 13.8 x 8.4 x 2.4 <70 mK 128 × 96 pixels 53.6°

FEATURES

- Visibly see cool spots in the environment
- High temperature range
- · Measure thermal performance of heatsinks and cooling solutions
- Electrical repairs to overheating parts

BUY



PROTIMETER MMS3[®] Restoration Kit; w/ Hard Case, BLD9800-C-R

SKU 109003 Weight (g) Dimensions (cm) (h × w × d) Contains

309 19.05 x 9.4 x 5.6 MMS3 Instrument. Short Humidity Ouick Stick. HD MC Probe, HD Hammer Probe, 4 x Hammer Pins, 5 Inch Deep Wall Probe, Hard Carry Case, Instructions

FEATURES

- Ergonomic 4-in-1 design provides a full building diagnostics for both on and below surfaces
- Wireless Built-in hygromettric capabilities and an infrared (IR) laser thermometer

BUY



PROTIMETER MMS3® Standard Kit w/ Hard Case, BLD9800-C

SKU 109004 Weight (g) Dimensions (cm) (h × w × d) Contains

309 19.05 x 9.4 x 5.6 MMS3 Instrument, Short Humidity Quick Stick, HD MC · Wireless Case, Software + Cable, Instructions

FEATURES

- Ergonomic 3-in-1 design provides a full building diagnostics for both on and below surfaces accurately
- Probe, Hard Carry · Built-in hygromettric capabilities and an infrared (IR) laser thermometer

BUY



PROTIMETER MMS3® Survey Kit w/ Hard Case, BLD9800-C-S

310

SKU 109005 Weight (g) Dimensions (cm) (h × w × d) Contains

19.05 x 9.4 x 5.6 MMS3 Instrument, Short Humidity Quick Stick, Hygro Humidity Probe, HD MC Probe, Deep Wall Probes 5" (127mm), **Plugin Surface** Temp Sensor, **Pin Calibration** Temp Sensor, Pin Calibration Check, Instructions, Hard Carrying Case, Software + Cable

- Ergonomic 4-in-1 design provides a full building diagnostics for both on and below surfaces
- Wireless
- Built-in hygromettric capabilities and an infrared (IR) laser thermometer



Environment Meters



Tramex CME5 Concrete Encounter

SKU 109006 Weight (g) Dimensions (cm) (h×w×d) Power Display Depth of penetration

344 16.0 x 8.0 x 4.0 2 x AALR6 Alkaline Analog 20 mm

FEATURES

- Instant and precise readings to a depth of approximately 20mm (3/4") into the slab
- Bluetooth connection to accompanying IOS & Android App allowing for continual development and integration of apps and reporting
- Reproducible and reliable results
- CM Carbide Method moisture content
 equivalent readings

BUY



Tramex CMEX5 Moisture Meter

SKU 109007 Weight (g) Approximate Size (cm) Power Display Depth of penetration

357 18.0 cm x 8.0 x 4.0 2 x AALR6 Alkaline Digital 20 mm

FEATURES

- Gravimetric testing use as a baseline, the CMEX5 shows an accurate moisture measurement result
- Measures concrete floors and slabs
 roughly 20mm deep
- Offers quantitative Carbide Method equivalent readings for Concrete and Anhydrite/Cypsum substrates and screeds
- Compares readings by using two reference scales which best fits for moisture testing based on ASTM F2659

Test & Measure

Mositure Testing



Tramex Concrete Moisture Meter

SKU 209003 Weight (g) Approximate Size (cm) Construction Display

344 16.0 x 8.5 x 3.8 ABS Body Analog

- Surface level moisture readings for sealants and surface treatments
- Ensure concrete slab is dry to relevant building and construction standards
- Moisture Consistency Check areas of concrete slab for consistent moisture levels
- Carpeting and Flooring Measure dryness before installing carpets and flooring





Hygenia UltraSnap ATP Surface Test Swab 25 Pack

SKU 112002 Weight (kg) Dimensions (cm) Pieces Compatible with:

0.90 15.24 x 15.24 x 17.78 25 Hygenia System Sure/Ensure Touch

FEATURES

Hygiena™ ATP Monitoring Systems
 Detects invisible/trace amounts of residue



Zefon Air-O-Cell Packs

SKU 112006 Weight (kg) Dimensions (cm) Max Air Flow Piecies

0.21 14.0 x 8.0 x 14.0 15 L/minute 10, 50

FEATURES

- Designed for the rapid collection of a wide range of airbourne aerosoles
- Collects both viable and non-viable sample specimens
- Can be used with any off the shelf area sampling pump capable of drawing 15LPM open flow



Zefon Bio Tape Packs

SKU 112007 Weight (kg) Dimensions (cm) Piecies

0.21 14.0 x 50.0 x 8.0 10, 25

FEATURES

- Provides sample consistency and uniformity
- Prevents cross contamination
- Eliminates problems of placing tape in a zip bad, or chance broken slides during transport
- Ideal for mould sampling and testing

BUY



Zefon Cassette Viacell

SKU 112010 Weight (kg) Dimensions (cm)

0.11 10.0 x 5.0 x 15.0

- Ready to use, nothing to assemble, prepare or clean
- Utilise a water-soluble collection media which is ideal for dilution, once the sample is diluted, it can be transferred
- 1-year shelf life, that's 4 times as long as traditional methods
- Independently validated and compared to current industry-standard methods by both





Cooling

4.9 kW Portable Air Conditioner

SKU 210001 Weight (kg) Dimensions (cm) (h×w×d) Cooling Capacity Noise Levels

86 104.2 × 52.3 × 67.2 4.9kW or 16000BTU 55db

FEATURES

- Portable air conditioners are perfect for event spaces and conferences
- Great for places that need air conditioning during excessive heat, or when a permanent solution is not working
- Workshops and Factories With spot cooling functionality, this unit is perfect for cooling individuals or specific tools in a workshop or garage
- Retail Spaces and Offices Office air con out of action or can't wait for the installation? Use a temporary solution to keep productivity high until then



6.1 kW Portable Air Conditioner

SKU 210002 Weight (kg) Dimensions (cm) (h×w×d) Cooling Capacity Noise Levels

90 104.2 × 52.3 × 67.2 6.1kW or 21000BTU 62db

FEATURES

- Portable air conditioners are perfect for event spaces and conferences
- Great for places that need air conditioning during excessive heat, or when a permanent solution is not working
- Workshops and Factories With spot cooling functionality, this unit is perfect for cooling individuals or specific tools in a workshop or garage
- Retail Spaces and Offices Office air con out of action or can't wait for the installation? Use a temporary solution to keep productivity high until then



WPC-5000 Portable Air Conditioner 6.1KW

SKU 110003 Weight (kg) Dimensions (cm) (h×w×d) Cooling Capacity Current Consumption Coverage

95 54 × 70 × 140 6.1 kW 9.5 A up to 50 m²

- Portable air conditioners are perfect for event spaces and conferences
- Great for places that need air conditioning during excessive heat, or when a permanent solution is not working
- Workshops and Factories With spot cooling functionality, this unit is perfect for cooling individuals or specific tools in a workshop or garage
- Retail Spaces and Offices Office air con out of action or can't wait for the installation? Use a temporary solution to keep productivity high until then





Cooling

Rinnai 3.5kW Portable Air Conditioner

SKU 110001 Weight (kg) Dimensions (cm) (h × w × d) Cooling Capacity Current Consumption Rated Voltage

38 47.0 × 38.0 × 71.0 3.5 kW 1280 W up to 27.5 m²

FEATURES

- Modern and compact personal air conditioner
- Adjustable temperature control
- Washable Filter
- Inbuilt timer set the time for the portable air conditioner to switch on or off depending on your preference



Rinnai 4.1kW Portable Air Conditioner

SKU 110002 Weight (kg) Dimensions (cm) (h × w × d) Cooling Capacity Current Consumption Sound Level

39 45.0 × 39.0 × 74.0 4.1 kW 8.5 A up to 35 m²

- Suitable for larger bedrooms, home offices and small living areas
 2 year warranty
- Modern and compact personal air conditioner
- Ventilation kit included





Supplies

Actichem Biosan II 5L RTU Disinfectant

SKU 106001 Weight (kg) Scent pН Dilution

50 Lemon Verbena 7.5 1:16 to 1:32

FEATURES

- · Sophisticated Anti-microbial Blend -Biosan II - Ready To Use disinfectant employs a potentiated biocidal package which provides a significantly faster and wider scope of kill
- Penetration To provide ultimate sanitization of target surfaces, this powerful anti-microbial package has been combined with super-wetting technology. This enables the biocide to penetrate faster and deeper into the inner-structure of fibre and porous substrates
- Eliminates odours Biosan II Ready To Use eliminates odours at their source by powerful anti-microbial action against odour causing germs
- Provides a Safe Working Environment Ready To Use Disinfectant, ideal for removing or minimizing dangerous micro-organisms.



Actichem Percide RTU SKU 106002

FEATURES

- Hospital grade and advance peroxide based disinfectant
- Tackles mould
- Disinfects infectious environments
- · Removes bacteria and viruses



Actichem Percide RTU - 750ml

SKU 106003 Weight (kg) Size Dilution Fragrance

Weight (kg)

Scent

Dilution

pН

1 750 ml

5.0

2

None

RTU

Ready to use (RTU) None

FEATURES

- Hospital grade and advance peroxide based disinfectant
- Tackles mould
- Disinfects infectious environments
- · Removes bacteria and viruses

BUY



Benefect Atomic Degreaser

SKU 106004 Size Scent Dilution рΗ Dilution

3 78 Odorless Ready to use (RTU) · Solvent-Free!

10.9 - 11.0 (at 100%) 3:100 to 12:100

- · All Natural Ingredients
- No VOCs*
- · No Fragrances, Dyes, Petrochemicals, Phosphates, EDTA, NTA or other hazardous or unnecessary ingredients.





Supplies

Benefect Botanical Decon 30

SKU 106006 Size Scent

pН Dilution 3.781 Lemon & Thyme 4.0 - 5.0 RTU

FEATURES

- Food Surface Contact Sanitizer
- · Kills gram-negative and gram-positive bacteria
- Thymol present

Benefect Botanical Disinfectant Concentrate

SKU 106005 Size Scent рΗ Dilution

3.781 Lemon & Spice 4.0 - 5.0 RTU

FEATURES

- Kills Over 99.99% of Germs
- Virucidal (HIV-1)
- Bactericidal (Including MRSA)
- Made From Plant Extracts

BUY

BUY



Benefect Botanical Disinfectant Wipes

SKU 106007 Weight (kg) Dimensions (cm) (h × w) Wipes

13.6 15.2 ×17.8 250 pcs

FEATURES

- Strong and durable
- · Distinct foaming advantage that ensures longer contact time to kill germs and improved visibility of surface coverage
- · Prevents cross-contaminatio
- · Controls the spread of germs by disinfecting high-touch areas

BUY



Earth Renewables Bathroom Cleaner - Pack of 4

SKU 106009 Weight (kg) Dimensions (cm) $(h \times w \times d)$ рΗ Dilution

35 17.0 × 17.0 × 24.0 2.1-2.5 1:100

FEATURES

- Environmental-friendly
- Accredited under the Good
 - Environmental Choice Australia Ecolabel

BU\



Earth Renewables Bathroom Cleaner - Single

SKU 106008 Weight (kg) Dimensions (cm) $(h \times w \times d)$ рΗ Dilution

075 6.0 × 6.0 × 26.0 2.1-2.5 1:100

- Environmental-friendly
- · Accredited under the Good
- Environmental Choice Australia Ecolabel





Supplies

Earth Renewables Concentrate Glass Cleaner

SKU 106010 Dimensions (cm) (h × w × d) рΗ Dilution

6.0 × 6.0 × 26.0 6.5-7.5 1:100

FEATURES

- · Environmental-friendly
- · Accredited under the Good Environmental Choice Australia Ecolabel



Earth Renewables Concentrate Glass Cleaner 4 Pack SKU 106011

Dimensions (cm) (h × w × d) рΗ Dilution

17.0 × 17.0 × 24.0 6.5-7.5 1:100

FEATURES

- Environmental-friendly
- · Accredited under the Good
 - Environmental Choice Australia Ecolabel



Earth Renewables Multipurpose Spray

SKU 106012 Dimensions (cm) (h × w × d) рΗ Dilution

6.0 × 6.0 × 26.0 6.5-7.5 1:100

FEATURES

- · Environmental-friendly
- · Accredited under the Good
- Environmental Choice Australia Ecolabel



Earth Renewables Multipurpose Spray 4 pack

SKU 106040 Dimensions (cm) (h × w × d) Dilution

рΗ

17.0 × 17.0 × 24.0 6.5-7.5 1:100

FEATURES

- · Environmental-friendly
- · Accredited under the Good
 - Environmental Choice Australia Ecolabel



Earth Renewables Neutral Floor Cleaner - Pack of 4

SKU 106014 Weight (kg) Dimensions (cm) (h × w × d)

3.5 17.0 × 17.0 × 24.0 6.5-7.5 1:100

FEATURES

- Environmental-friendly
- · Accredited under the Good
- Environmental Choice Australia Ecolabel • Eliminate particles on the floor such as
- dirt, dust, scuff marks, grease, and oily soils



рΗ Dilution





Earth Renewables Neutral Floor Cleaner - Single

SKU 106013 Weight (kg) Dimensions (cm) (h×w×d) pH Dilution

0.75 6.0 × 6.0 × 26.0 6.5-7.5 1:100

FEATURES

- Environmental-friendly
- Accredited under the Good
- Environmental Choice Australia Ecolabel • Eliminate particles on the floor such as
- dirt, dust, scuff marks, grease, and oily soils



Fiberlock RECON Extreme Duty Odour Counteractant

SKU 106021 Weight (kg) Pack Size pH Active Ingredient

3.79 1 gal 7.0-7.5 Metazene

FEATURES

- Maximum strength odour counteractant
- Apply by spraying or as a cleaning additive
- Can be applied with cold mist fogging
 equipment

BUY



IAQ 6000 Mould-Resistant Coating (White)

SKU 106018 Weight (kg) Pack Size Coverage (Smooth Surfaces) Coverage (Porous Surfaces)

18.93 5 gal 160 - 275 m² 70 - 81 m²

FEATURES

- Dries white to visibly see where the product is
- Tested by independent laboratories for mold resistance: ASTMG-21 and ASTM D-3273
- 100% acrylic



IAQ 6100 Mould-Resistant Coating (Clear)

SKU 106019 Weight (kg) Pack Size Coverage (Smooth Surfaces) Coverage (Porous Surfaces)

18.93 5 gal 160 - 275 m² 70 - 81 m²

FEATURES

- Dries clear to hide the product once dried
- Tested by independent laboratories for mold resistance: ASTMG-21 and ASTM D-3273
- 100% acrylic

BUY



IAQ PRO Saniclean Surface Disinfectant

SKU 106024 Weight (L) Dimensions (cm) (h×w×d) Fragrance Dilution

5.0 13.5 × 18.5 × 29.0 None RTU

- Advanced hyrdrogen peroxide-based disinfectant
- Elimenates mould spores and growth
- Removes mould stains
- Brightesn surface



BUY



Supplies

Natroshield Disinfectant 15L Bulk Starter Pack

SKU 106015 Weight (kg) Active Ingredients

15.0 Lactic acid 0.12% v/v, Octanoic acid 0.1% v/v

FEATURES

- Hospital Grade Disinfectant
- · Effective against COVID-19
- Kills 99.999% of microorganisms
- · Controls mould and mildew

Natroshield Disinfectant 750ml Trigger Spray - Pack of 4 SKU 106016

Weight (kg) Active Ingredients

3.0 Lactic acid 0.12% v/v, Octanoic acid 0.1% v/v

FEATURES

- Hospital Grade Disinfectant
- · Effective against COVID-19
- Kills 99.999% of microorganisms
- · Controls mould and mildew



Natroshield Disinfectant 750ml Trigger Spray

SKU 106016 Weight (kg) Active Ingredients

1 2 2 Lactic acid 0.12% v/v, Octanoic acid 0.1% v/v

FEATURES

- Hospital Grade Disinfectant
- Effective against COVID-19
- · Kills 99.999% of microorganisms
- · Controls mould and mildew

BUY



SAN-AIR Air Purifier Reactive Gel 75g SKU 106031

Weight (kg) Pack Size

Size

0.75 1 Piece S, M, L, XL

FEATURES

- · Prevents mould from growing in your home, office, car any indoor space
- · Kills viruses and bacteria within the air • Safe to use around children, pregnant
- women, babies and pets Made with 100% natural and organically
- derived ingredients

BUY



SAN-AIR LD Concentrate V3R (1L)

SKU 106033 Weight (kg) Ingredient

10

Essential oils, purified water, natural binding agents

- · Destroy toughes microbial contaminations
- Concentrate that can be dilluted to last longer





SAN-AIR Surface Mould Remover Spray 1L

SKU 106034 Weight (kg) Ingredient

1.0 Essential oils, Isopropyl Acohol, purified water

FEATURES

- Immediate visible mould removal
- Long-lasting
 - Scientifically tested
 - Environmentally friendly and Exceptionally safe to use

BUY

V3R Coil Cleaner Concentrate 1L

SKU 106035 Weight (kg) Size Dilution

1.0 1L 2:100

- Tackles mould and bacteria
- Prevents mould from growing in your home, office, car any indoor space



Ducting



Supplies

Duct Clamp 103-127mm

SKU 111004 Weight (kg) Dimensions (cm) (h × w)

05 10.3 × 12.7

FEATURES

· Allows for tight clamping force onto a hose

BUY



Flexible Duct 100mm x 6m

SKU 111005 Weight (kg) Dimensions (cm) (h×w)

06 10.0 × 600.0

FEATURES

 Flexible for maniupulating into tight spaces

BUY



Flexible Duct 125mm x 6m

SKU 111006 Weight (kg) Dimensions (cm) (h×w)

06 12.5 x 600.0

FEATURES

 Flexible for maniupulating into tight spaces



Layflat Temporary Ducting 95mm Max Diameter x 100m

SKU 111007 Thickness Dimensions (cm) (h × w)

100 um 12.7 x 1000.0

- Product wrapping and large custom bags – encapsulating protection for many products such as poles, tools, roll products in a range of industrial and construction applications
- Temporary ducting used in construction to temporarily divert airconditioning and other vents as well as ducting from man coolers and dust extractors
- Temporary downpipe create an interim connection from guttering to the stormwater to protect your site and structure from flooding and water damage and to comply with government regulations






Layflat Temporary Ducting 95mm Max Diameter x 100m

SKU 111007 Thickness Dimensions (cm) (h × w)

100 um 9.5 × 1000.0

- Product wrapping and large custom bags – encapsulating protection for many products such as poles, tools, roll products in a range of industrial and construction applications
- Temporary ducting used in construction to temporarily divert airconditioning and other vents as well as ducting from man coolers and dust extractors
- Temporary downpipe create an interim connection from guttering to the stormwater to protect your site and structure from flooding and water damage and to comply with government regulations



- 36.5 x 11.0
- Professional grade microfibre
- Interchangeable
- Reusable





Duop Pad Cleaning Head - Medium

SKU 114009 Pieces Dimensions (cm)

1 24.0 x 11.0

FEATURES

- Professional grade microfibre
- Interchangeable
- Reusable



Duop Pad Cleaning Head Small

SKU 114010 Pieces Dimensions (cm) (h×w)

1 15.0 x 15.0

FEATURES

- Professional grade microfibre
- Interchangeable
- Reusable

Duop Scouring Pad Large

SKU 114011 Pieces Dimensions (cm) (h×w)

1 40.0 x 16.0

FEATURES

- Professional grade microfibre
- Interchangeable
- Reusable



Duop Scouring Pad Medium

SKU 114012 Pieces Dimensions (cm) (h×w)

1 26.0 x 15.0

FEATURES

- Professional grade microfibre
- Interchangeable
- Reusable

ΒυΥ

Duop Scouring Pad Small SKU 114013

 Pieces
 1

 Dimensions (cm) (h × w)
 18.0 x 18.0

- Professional grade microfibre
- Interchangeable
- Reusable





Duop Cleaning Pad Large

SKU 114002 Pieces Dimensions (cm) (h × w)

1 40.0 x 16.0

FEATURES

- Professional grade microfibre
- Interchangeable
- Reusable



Microfibre Cloth (20 Pack) SKU 106030

Pieces Dimensions (cm) Material Weight Blend

20 40.0 x 40.0 cm 251 gsm 80% polyester 20% Polyamide

FEATURES

- Lint-free / non-abrasive
- Use damp for general cleaning, wet for heaavily soiled cleaning, and dry for dusting
- Lasts up to 100 washes

BUY

Microfibre Cloth (Each) SKU 106027

KU 106027

Pieces Dimensions (cm) Material Weight Blend 1 40.0 x 40.0 cm 250 gsm 80% polyester 20%

Polyamide

- Lint-free / non-abrasive
- Use damp for general cleaning, wet for heaavily soiled cleaning, and dry for
- Absorbs up to 7 times its weight in moisture dusting
- Lasts up to 100 washes





😥 agileequipment.com.au

airconditionerhire.com.au

iaqdirect.com.au

BRISBANE

- Onit 1/23 Alexandra Pl. Murarrie, QLD 4172
- **C** 07 3154 2837
- (24/7) **1300 092 647** (24/7)
- enquiries@agileequipment.com.au

SYDNEY

- Clyde, NSW 2142
- 02 7200 7542
- (24/7) 1300 092 647 (24/7)
- enquiries@agileequipment.com.au

MELBOURNE

- 🕈 Unit 60/108 Sharps Rd. Tullamarine, VIC 3043
- **U** 03 8547 9576
- (24/7) **1300 092 647** (24/7)
- 🗹 enquiries@agileequipment.com.au

Published February 2023