SAFETY DATA SHEET



ENCAP FINE FABRIC

ACTICHEM PTYLTD

Catalogue number: AP464 Version No: 2.2 Issue date 30/11/2021

Safety Data Sheet according to WHS and ADG requirements

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	ENCAP FINE FABRIC
Product code	AP464
Pack sizes	5L & 20L

Relevant identified uses of the substance or mixture and uses advised against

Details of the manufacturer/importer

Registered company name	ACTICHEM PTY LTD
Address	11 Gamma Close, Beresfield 2322 NSW Australia
Telephone	(02) 4966 5516
Website	www.actichem.com.au
Email	info@actichem.com.au

Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 1126
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable
GHS Classification	Serious Eye Damage/Irritation Category 2
	Classification drawn from HCIS and ECHA C&L Inventory.

Label elements

Hazard pictogram



SIGNAL WORD	WARNING
SIGNAL WORD	AAWIZIAIIAG

Hazard statement(s)

H319 Causes serious eye irritation

Precautionary statement(s) Prevention

• • • • • • • • • • • • • • • • • • • •	
P264	Wash exposed skin thoroughly after handling.
P280	Wear protective gloves and eye protection.

Precautionary statement(s) Response

P305+P351+P338+P337+P313

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Precautionary statement(s) Storage

Not applicable

Precautionary statement(s) Disposal

Not applicable

Product Code: AP464 Version No: 2.2

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures.

Mixtures

CAS No	%[weight]	Name
67-63-0	<10	isopropanol
Trade secret	10-<30	Proprietary polymer A
Trade secret	<10	Proprietary polymer B
151-21-3	<10	sodium lauryl sulphate
Trade secret	<10	Proprietary ingredient

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Wash out immediately with fresh running water for 10-15 minutes. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Exting	uishing	media

Extinguishing media	The product contains a substantial amount of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas
---------------------	--

Special hazards arising from the substrate or mixture.	
Fire incompatibility	None known
Advice for firefighters	
Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use firefighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire.
Fire/Explosion Hazard	The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers emit acrid smoke. Decomposes on heating and produces toxic fumes of: carbon monoxide (CO), carbon dioxide (CO2), phosphorus oxides (POx) and other pyrolysis products typical of burning organic material May emit corrosive fumes.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills	Flush away with copious amounts of water.
Major Spills	Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations. Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.
PPE	Personal Protective Equipment advice is contained in Section 8 of the SDS.

Product Code: **AP464** Version No: **2.2**

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	Avoid all personal contact. Wear eye protection when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers.
Other information	

Conditions for safe storage, including any incompatibilities

Suitable container	Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	isopropanol	Isopropyl alcohol	400 ppm / 983 mg/m3	1230 mg/m3 / 500 ppm	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
isopropanol	Isopropyl alcohol	400 ppm	2000 ppm	12000 ppm
sodium lauryl sulphate	Sodium lauryl sulphate	3.9 mg/m3	42 mg/m3	260 mg/m3

Ingredient	Original IDLH	Revised IDLH
isopropanol	2000 ppm	Not Available
sodium lauryl sulphate	Not available	Not available

Exposure controls

Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
Personal protection	
Eye and face protection	Safety glasses with side shields OR Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	Wear chemical protective gloves. Neoprene or butyl are recommended for this application.
Body protection	See Other protection below
Other protection	Barrier cream. Skin cleansing cream. Eye wash unit.
Thermal hazards	Not Available

Product Code: **AP464** Version No: **2.2**

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Clear tan yellow liquid		
Physical state	Liquid	Relative density (Water = 1)	1
Odour	Baby powder	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	5.5 - 6.0	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit(%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational
Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence.
Skin Contact	This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	This material can cause eye irritation.
Chronic	No relative data listed.

Toxicological effects of ingredients

sodium lauryl sulphate	Acute toxicity	Oral LD50 (rat) 977 mg/kg Dermal LD50 (rabbit) 580 mg/kg
	Skin corrosion/irritation	Rabbit, 4 hour patch test, 25%: Strong erythema and edema (Data on sodium dodecyl sulfate)(48)
	Eye damage/irritation	Rabbit, Draize test, 20%: Strongly irritating (Data on sodium dodecyl sulfate)(48)
	Respiratory/skin sensitization	Guinea pig, Buehler Test: Negative (Data on sodium dodecyl sulfate)(48)
	Germ cell mutagenicity	Ames test (TA98, TA100, WP2try-): Negative / Rec-assay (H17, M45): Negative
	Carcinogenicity	AS (Alcohol Sulphates) are not carcinogenic
	Reproductive toxicity	No Data Available
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available

Product Code: **AP464** Version No: **2.2**

isopropanol	Acute toxicity	Oral LD50 (rat) 5045 – 5840 mg/kg Dermal LD50 (rabbit) 12800 mg/kg Inhalation LC50 (rat) 16000 ppm/8h
	Skin corrosion/irritation	May be irritating to skin
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	Not expected to be a sensitizer
	Germ cell mutagenicity	Not considered to be a mutagenic hazard
	Carcinogenicity	Not considered to be a carcinogenic hazard.
	Reproductive toxicity	Not considered to be toxic to reproduction
	STOT (single exposure)	May cause drowsiness or dizziness
	STOT (repeated exposure)	Not expected to cause toxicity to a specific organ
	Aspiration toxicity	Not expected to be an aspiration hazard
Proprietary Polymer A	Acute toxicity	ALD (rat) >11000 mg/kg Inhalation ALC (rat) >1417 mg/l (4hr)
	Skin corrosion/irritation	Repeated or prolonged contact may cause defatting of the skin resulting in dryness, cracking and dermatitis.
	Eye damage/irritation	Causes eye irritation
	Respiratory/skin sensitization	It is not a skin sensitizer.
	Germ cell mutagenicity	There is no evidence of mutagenic potential
	Carcinogenicity	It is unlikely to present a carcinogenic hazard to man. (NTP / IARC / ACGIH / OSHA)
	Reproductive toxicity	No available data
	STOT (single exposure)	No available data
	STOT (repeated exposure)	No available data
	Aspiration toxicity	No available data
Proprietary polymer B	Acute toxicity	ALD (rat) >11000 mg/kg Inhalation ALC (rat) >1417 mg/l (4hr)
Part A	Skin corrosion/irritation	Repeated or prolonged contact may cause defatting of the skin resulting in dryness, cracking and dermatitis.
	Eye damage/irritation	Causes eye irritation
	Respiratory/skin	It is not a skin sensitizer.
	sensitization	There is no evidence of mutagenic potential
	Germ cell mutagenicity Carcinogenicity	It is unlikely to present a carcinogenic hazard to man. (NTP / IARC / ACGIH / OSHA)
	Reproductive toxicity	No available data
	STOT (single exposure)	No available data
	STOT (repeated exposure)	No available data
	Aspiration toxicity	No available data
Proprietary polymer B	Acute toxicity	Oral LD50 (rat) 1378 - >2000 mg/kg
Part B	Skin corrosion/irritation	Not available.
	Eye damage/irritation	Causes serious eye damage.
	Respiratory/skin	It is not a skin sensitizer.
	sensitization	
	Germ cell mutagenicity	Not available.
	Carcinogenicity Reproductive toxicity	It is unlikely to present a carcinogenic hazard to man. (NTP / IARC / ACGIH / OSHA) Not available.
	STOT (single exposure)	Not available.
	STOT (repeated exposure)	Not available.
	Aspiration toxicity	Not available.
Dan and other and beautiful D		
Proprietary polymer B Part C	Acute toxicity Skin corrosion/irritation	Oral LD50 (rat) 846 – 1236 mg/kg Dermal LD50 (rat) >2000 mg/kg Causes skin irritation.
Part G	Eye damage/irritation	Causes serious eye irritation.
	Respiratory/skin	
	sensitization	It is not a skin sensitizer.
	Germ cell mutagenicity	There is no evidence of mutagenic potential.
	Carcinogenicity	It is unlikely to present a carcinogenic hazard to man. (NTP / IARC / ACGIH / OSHA)
	Reproductive toxicity STOT (single exposure)	None anticipated Not available.
	STOT (single exposure)	Not available.
	Aspiration toxicity	Not available.
Proprietary Ingredient	Acute toxicity	Oral LD50 (rat) >7000 mg/kg Dermal LD50 (rabbit) >2000 mg/kg
	Skin corrosion/irritation Eye damage/irritation	Slight/mild irritant to skin Causes serious eye irritation.
	Respiratory/skin	
	sensitization	It is not a skin sensitiser.
	Germ cell mutagenicity	Not to be expected
	Carcinogenicity	It is unlikely to present a carcinogenic hazard to man. (NTP / IARC / ACGIH / OSHA)
	Reproductive toxicity	Not to be expected
	STOT (single exposure)	No available data No available data
	STOT (repeated exposure) Aspiration toxicity	No available data
	Aspiration toxicity	a randon Willi

Product Code: **AP464** Version No: **2.2**

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

	Endpoint	Duration (Hr.)	Species	Value
sodium lauryl sulphate	LC50	96	Fish	0.59-mg/L
	EC50	48	Crustacea	=0.939mg/L
	EC50	96	Algae or other aquatic plants	-0.4-3.7mg/L
	BCF	1	Fish	0.85-mg/L
	EC15	Not coded	Not Available	-0.05-0.25mg/L
	NOEC	0.08	Fish	0.0000013-mg/L
isopropanol	LC50	96	Fish	9-640mg/L
	EC50	48	Crustacea	12500mg/L
	EC50	72	Algae or other aquatic plants	>1000mg/L
	EC0	24	Crustacea	5-102mg/L
	NOEC	504	Crustacea	=30mg/L
Proprietary polymer A	EC50	48	Daphnia magna	100 mg/l
Proprietary polymer B Part A	EC50	48	Daphnia magna	>100 mg/l
Proprietary polymer B	LC50	96	Fish	5 - 8.5 mg/l
Part B	EC50	72	Aquatic invertebrates	10 mg/l
Proprietary polymer B	LC50	96	Fish	0.6 - 32 mg/l
Part C	EC50	48	Aquatic invertebrates	0.5 - 10.8
	ErC50	72	Algae	0.01 – 5.3 mg/l
	NOEC	72	Algae	0.075 mg/l
Proprietary Ingredient	LC50	96	Oncorhynchus mykiss	1000 mg/l
	EC50	48	Daphnia magna, mobility	40.3 mg/l
	EC50	96	Pseudokirchnerella subcapitata	230 mg/l

Avoid discharging into drains and waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
sodium lauryl sulfate	HIGH	HIGH

Bio accumulative potential

Ingredient	Bioaccumulation
sodium lauryl sulfate	LOW (BCF = 7.15)

Mobility in soil

Ingredient	Mobility
sodium lauryl sulfate	LOW (KOC = 10220)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal Recycle containers whenever possible. Product residues and containers should be disposed of in accordance with local government regulations.	
---	--

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (Not Applicable): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

SODIUM LAURYL SULFATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australian Inventory of Industrial Chemicals (AIIC)

ISOPROPANOL IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

Product Code: **AP464** Version No: **2.2**

SECTION 16 OTHER INFORMATION

Revision Schedule

Revision Date	30/11/2021
Initial Date	08/12/2016

SDS Version Summary

Version	Issue Date	Sections Updated
2.1	23/03/2021	Sections 2, 3, 11, 12, 15, 16 have been updated or corrected
2.2	30/11/2021	Sections 2, 11 have been revised

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of ACTICHEM PTY LTD and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes.

Definitions and abbreviations

PC-TWA; Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Government Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit

IDLH: Immediate Danger to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL: No Observed Effects Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: Bio Concentration Factors

BEI: Biological Exposure Index

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from ACTICHEM PTY LTD.

End of SDS