

18V Mobile Drywall Cutter



DSD180



Product Objectives



- Develop a 18V mobile cutting tool designed to cut holes in drywall when setting ceiling lights and air vents ideal for straight cuts
- With excellent balance for overhead application the DSD180 would suit the needs of trades people installing dry wall, lighting or air conditioning



Product Overview

Makita





Capacity	Drywall: 30mm Wood: 15mm
Strokes per minute	0-6,000spm
Length of stroke	6mm
Weight	1.9kg

- **Excellent manoeuvrability** – achieved by the design with excellent tool balance, allows for easy overhead application
- **Cutting depth adjustment** – cutting depth can be adjusted according to drywall thickness to prevent cutting timber or cable that may be behind the wall
- **Base cover** – plastic cover protects drywall surface from damage and scratches
- **Variable speed control trigger** – allows user to regulate the speed of the cut at the trigger, adjusting speed at the beginning or end of a cut
- **Easy straight cutting** – achieved by the blade shape and cutting system
- **Dust box** – designed to catch dust in overhead applications. Additionally a dust box can also be connected to dust extraction system
- **LED Job light** – brightly illuminates the cut line for easy cutting of workpiece in dark spaces

Performance



Superior cutting performance quick straight cuts achieved by blade shape and cut system

Control



Variable speed triggers allows user to accurately plunge the blade on the cut line

Ergonomics



Designed to be optimally balanced when using the tool in overhead applications

Efficiency



Dust box catches dust removing the need to extensively clean after cutting

Easy straight cutting and depth adjustment

Designed for quick and clean straight cuts in plasterboard the orbital mechanism and cutting blade have been designed to cut through the material without any pre drilling or cutting and efficiently make a straight cut

Blade depth can easily be adjusted by clamping the blade at the ideal height for the drywall being cut. Markings on the blade indicate the depth at which the blade will cut when installed at that depth



DSD180 – 18V Mobile Drywall Cutter








Capacity	Drywall: 30mm Wood: 15mm
Strokes per minute	0-6,000spm
Length of stroke	6mm
Weight	1.9kg

DCO180 – 18V Mobile Cut-out Tool



Collet capacity	3.18mm (1/8")
No load speed	30,000rpm
Cutting depth	11-31mm
Weight	1.7kg

Standard Equipment		
	B-49703	Blade for drywall (1Pcs Only)
	456632-5	Blade cover
	197597-9	Dust box
	783201-2	3mm Hex wrench
	456624-4	Base cover
	197224-8	Hook

Optional Equipment		
	B-49703	Drywall Blade (Set 2Pk)
	B-49719	Wood Blade (Set 2Pk)
	BL1815N to BL1860B	18v Li-Ion Batteries BL1815N 1.5Ah to BL1850 5Ah
	DC18RC	240V Fast Charger
	DC18SD	240V Standard Charger
	DC18RD	Dual Port Rapid Charger